(19)日本国特許庁(JP)

(12) 公表特許公報(A)

(11)特許出願公表番号 特表2002-532022 (P2002-532022A)

(43)公表日 平成14年9月24日(2002.9.24)

(51) Int.Cl.7		識別記号		FΙ		. 7	73ド(参考)
H04N	7/173	630		H 0 4 1	7/173	630	5 C O 5 3
G06F	3/00	6 5 4		G061	3/00	654B	5 C 0 6 4
	17/60	146			17/60	146Z	5 E 5 O 1
		336				336	
		ZEC			_	ZEC	
			審查請求	未請求	佛客查請求 有	(全 36 頁)	最終頁に続く

(21)出廣番号 特顯2000-586090(P2000-586090)
(86) (22)出顧日 平成11年11月30日(1999.11.30)
(85) 翻訳文提出日 平成13年 5 月29日(2001.5.29)
(86)国際出願番号 PCT/US99/28277
(87)国際公開番号 WO00/33565
(87)国際公開日 平成12年6月8日(2000.6.8)
(31)優先相主張番号 09/201, 495
(32)優先日 平成10年11月30日(1998.11.30)
(33)優先権主張国 米国 (US)
(81)指定国 EP(AT, BE, CH, CY,
DE, DK, ES, FI, FR, GB, GR, IE, I
T, LU, MC, NL, PT, SE), AU, JP

(71)出願人 マイクロソフト コーポレイション
MICROSOFT CORPORATI
ON
アメリカ合衆国 ワシントン州 98052-6399 レッドモンド ワン マイクロソフト ウェイ (番地なし)

(72)発明者 クリストファー エム、ホワイト アメリカ合衆国 94115 カリフォルニア 州 サンフランシスコ パシフィック ハ イツ アベニュー 2400 ナンパー709

(74)代理人 弁理士 谷 義一 (外2名)

最終頁に続く

(54) 【発明の名称】 ビデオオンデマンドの方法およびシステム

(57)【要約】

エンターテイメントへッドエンドは、分配ネットワークを介して加入者の家庭にあるクライアント端末に、放送番組、ビデオオンデマンドサービス、およびHTMLベースの対話型番組を提供する。新しいユーザインターフェース、機能強化されたビデオオンデマンド制御、様々な対話型サービス(個人化されたニュース、ジュークボックス、ゲーム、著名人チャット)、および従来のテレビを喚起するユーザ体験を提供するために組み合わされる技法を含む、いくつかの異なる機能が提供される。

記載のビデオ ステム。 【声求類 】 ビデオュ 2002複数解サヤネルを定 (2) 前記チャネルのうち 前輩チャーネルのうち 少な 1 . ■ グラーグを提供 し ビデオオ ず | | | | | | | | | | 1 ボタ または ネルに射連してリモ トゴニ 2 2 2 PAUSE PAUS静設画面から前沿制御パネ の つが起動 ざると 前 1 ひを含む ひを特徴とする PLAY 【# 求項 | 】 ビデオオ PLAY 3 1 ユザが要求したビデオプ 対り端末転送し 4

PLAY ST

OP PAUSE

2 1

5

.

P A U S E 6

(3)

1

STOP

用の制御 なら

1

1

なとも

a

7

8

9

6

1

b

2

10 2

2

STOP PLAY PAUSE REWIND FAST FORWARD

~

少な とも部分的 に つの 2002 婦 砂定全成 し

(4)

9

1 1

9

1 2

1

1 3

2

1

1 4

ノハ」

などするよ 項 福賀の

【よ物質 】 ビデオ

2002年を30作みる方法であって

ユ ザの 駅神習 管を監見し 前部 ビデオプ ■ グラーが ル

課ビデオプ ■ グラーを課作装 和気に入りのプ ■ グラーが

同 送のが自動的 「翻録 る が 表⁴ こと を特徴と する方法

【唐 東頁 】 ユ ザ ラ^Lの 乳位を**聴** 多度 にもつ

前記見位に従ってが送っ

上前沿沿作装置にピーす

方法。

【**声類** 】 複数 前記チャ^ンネルのうちの

(5)

16

1 5

15

1 7

15

18

19

2002 532022

1 1 8

2 1

(6)

示する。次 でユザば 所 の場合は 2002 をき20を入力するより階 (7) 0001 映画選択コードを入りする 示されるビデオ料金を 続す た して上映 ざれる。 日本者が のチャーネルに変える場合 1 **碌**層者は単にビデザのそ 0002 は テレビが少し長 時間 は終了する。優勝者が単デオ 直 さなければならず 典型的 [4 0 5 0 発見の様 な痴 ゆって 30 した。よりませずる 2 Anasta

sia 51 Antz 52 Snow White

0003

2

3

```
れるまうに ネットワ クル
                                200分を33022れらは様な
                  (8)
                                      がままするために
                                   破骨がた でん タイ
    0006
                                       Ţ
                                    プ■キ'サ バ は ・
                                      制御チャブネル は
                          10
  1
     12 1
                               14
                                   物質的個プルーナ
       16
                                     では別に示される。
    0007
                                      (
                                          )
     16
                         12 .
                                   図に示するようにょ
  2 0
                          18
                                   はケルキルのツドエ
                                   放送を受信し 対応する べ
2 2
                                   の 作星型 報 が含まれ
    0008
               Proxy for Video on送<mark>建</mark>解的
                                          符号化 デ
and Server Control
                                2 4
               1
UΙ
                      1 2
                                  1 4
    0009
                                    TCP
        2 4
           2 7
 ΙP
           18
 1
    0010
  2
                             12
```

2 6

1 2

MPEG

90N' 00 W - 8/CW

帯域 転を減ち してデータル化

神計的 重化を使用する ひ

200 前衛 250 2 多は 従来のプ■

12 ネットワ クを介して分配

る °ある は ごう したデ

11 概 肾

30する ひかでもる。

[]

ペッドエッからの様な 調 された後 ネットワ ク

で書合 ざれる。

[]

各クライン 端末

リ ディ ダ レ画面 ディオステを備えた

イ**ッ**タ エ ス

(9)

28

HTML

1

2 4

3 2

0011

16

52MHz $6 \, \mathrm{MHz}$

1

1

HTML

TCP IP

vertical blanking interval

0012

3 4

16

RΕ 36

4 6

0013

14 CPU 38 RAM 40

4 2 44

> 5 0 48 5 2

5 4 UΙ 5 6

```
エリピ伊用 90 ~こも
```

[]

図示された実施形態の不够

1 200 克 53 30分2 1 = 多 トゥ

MPEG または ラッ ' 6.0

は の磁気ディン

W e₍

ディ み い画面 は

0014 イプの あり ディン

Intel AMD Cyrix Mokocycticって が必 CPU 38

3

l a

(10)

CPU 1 4 1 **ぴ** ょ

びドラノ回路の音声語分析 0015 度でよれるび好味な増展

R A M 4 0 EDO 8 K 1 6 K るデ タルデ タ形式 内内

準備 伝も月する

とが可能であり その場合

 $0\ 0\ 1\ 6$

4 2

ROM E

EPROM

6 2

b T V

4 2 4 G B

0017

44

58

WebTV

CRT4 6

CRT

0018

48 5 0

> JUKEBOX MPC3

> > MPEG 6 2

アロ ノオノ = ク ノ.

は典型的には一の対意型サ 200多命令2023 心事する。

(11)

副御 むる チ⁴ ナ♪

. (]

0019

I R

5 **4** は

ビデオ ストリ

5 2

特定用췍け集廻路である

0020

図示された 糠酸のユ

5 8

ノルディ オプレイ きますもの 使用する ことにより ユザ

0021

5 2

つが、関係チャーネルの切替 ャーネルの切替えは 対応す

60

16

分の再源 撃を実行する必要が

3

当分野の技術者であれば リ 格別がた命令とし

H.T M L

()

1 4

2 0

1 2 24

60 CPU

RF

MPEG 6

2 MPEG

0022

5 6

5 2


1

60 RF

5 6

RAM

40



7 2 4

▮カ テュリがつ

「後

る な子供向 けい 囲 をリストし

2002 長建設 3代 。観察者は

HTMetry U

ョ6個面き提 ことがて

Ţ

最終など 「お」択が 実行

画面上ペ提示され。図示な

バレパ 。すなわち

形なビデオ 御ノ ネル

時停止 0 各

たビ デオの 残り時 き 示す

*る。 最初に

HTM

UI 7 4 5

5

RE

74 PLAY STOP

PAUSE

76A E

78

PLAY

0.030

(13)

16

2 4

Go

HTML

0027

5 2

14

14

0028

KIDS

L

Go

0029

WIND

FAST FORWARD

たとえば電電に出る台所 2002 533022 (14) 42 HTML示され ボゥ 回は MLE外 場合は リモ トコ ぎ 時停止した 場合は リ 1 2 ル上のハラト表示を す。次 14. * 対応する停止ま 6 0 ッ ドエ ブ RF VIDEO 0031 オ事断増中を示すデ Go + 'サP 7 4 め ずか 略作 LAY 76A ストを提供する だめ にその地 7 4 0032パネル また 7 4 Menu STOP G o PAUSE Gο 1 4

0 0 3 4 7 7 4 S T O P P A U S E

MPEG

1 2

0033

SMPTE

200をデジックデッドクライン (15) PLA 光だ 中断期 lbが しき 個 7 4 でれな送チャネルを PAUSE PAUSE。次 でそのチャッネルを PAUSE がり トー トー ルの「 がハラト表示される Gο REWIND 当で ひ が答し クライ FAST FORWARD め 変調器も再調 撃し PLAY る。 0035 ユザオデジル たとこば ポッの値点で ブが発 生する。 ' ステ .たは解知 19応答 して 0036 10 1 4 10 Go · R F

0037

MSNBC

てる。オプデ メ ドビデオ に昇連 して ビデオの タイト 2002し532分れたとえば数 24 光イ 内で残り時 1 一分応 デオの残り時 りを表示する こ り時 引き指 定する データは れ必要何がじずョグラ

の オ プデ **メ**ドビ デオを にリ スト表示する ごと にまつ つのチャーネルであるように ムレスでもしみやす 体験を レビ マ吸 た映型 現 示する こ

(16)

VIDEO

PLAY

0038

5815 5758258 5585838 5654748テレゼロ政治対策をオプラ 526036 08 969979 08 968386 つはその体験を VIDEO

10 1

0039

0040

1

HTML

だめの つの技法は 1

[]

2002 東係2の名数は 表

イドウー の 1ペ

を表示するために「ス

ては厚れた事作であるな

て、挙げる「ひが望ま

CRT

グラ イツ

比番値を喚起 ざる

ュード ディソル

るビデオご 物果 ある

と えあったと しても まれ を使用 すると テレビ

[]

優の河舎技法は '

(17)

HTML

0041

1

HTML

1

0042

0043

HTML

HTML

はまこた 新 し もい 5のの げる。

[]

閉門者チ

(18)

S CELEBRITY CHAT JUKEBOX NEWS

2002 第3分解納 な対 種 ビラ

めて

個像Mをユザイプタ エ

できるのではな たとえ

音楽の選択ができる。次で

記りしたものと同様の手腕

オ ディオ ぴ カ き介 が **駅**者チュ

た音声が再生は中断され。逐

o

[]

再生中 ディ オ レイ画面 **対連 しで使用する ことが望 !** 添える ため ベ音楽ビデオを提

0047

0045

0046

1

JUKEBOX

UI 74

UΙ

48

JUKEBOX

0048

なが者チャ ネルを戻っ 表示する ことが できる ' [] 第 の例 赤いな対 醒 ル おた ★ 積報 ッドシュース個 たして着り返ざる。t ස ⊾ූූර් 金, ් ළුවර්ට ව 事 にする ひができる []

の例 赤的 表え カテゴリの 部電

リ図示が個面の JUKEBAX1 ザル与えられ

0050

0049

10

2 NEWS

6

(19)

HTML

C D

CNN

1

0051

NEWS

Headli

n e

8.0

2002; 532022 f + 7. (20)の例 赤的 な対 種 0 ア ア ア オチャ ネルは 0052 JUKEBOX NEWS 人を提 示する ° 著名 になってが生 icker] 示された野春成 FIFO ボ ドヤカカ ざ チ および著名人の答う 0053 が善成した夢』が言 NEWS NEWS 0054 3 CELEBRITY CHAT

ΤV

0055

CELEB

RITY CHAT

CELEBRITY

CHAT

者 転送 ざれる ° 更」 する ° 司 者によって 2004 た3 40 を あじょって。

[

(21)

ASK QUESTION

Return

Gο

0056

CELEBRITY CHAT

8 2 7

見見者が個のチャッ:

恐を中断 するの は困 舞

チャネル病

]

グだが表示さる。

[]

第の対電型チャン

者には典型的には兄

さる。ケーの中に

ケートに加するプレ

的には テレビ番値の!

ブド ドランプズ 領崎

0057 CELEBRITY CHAT

86

CELEBRITY

CHAT

0058

4

GAMES

望まし。

2002 透視 2022 たケー が耳

替える場合 ケーケット

^{後間}者が ラ

ができる。 ここでも

にいて中断が機 としてまずすする

[]

図示されたクラブ 調録する ひ ある。 じゅうがく ヤ 舒振 めに ユザの場際習 にユ ザが端 末を起動 ぶ 許容 できる範囲内

るのまたは専用の

(22)

0059

GAMES

1

ebTV 1

0060

HTML

 $0\ 0\ 6\ 1$

GAMES

0062

FOX

1

MPEG

ASIC MPEG

~...~i

クラ は まだ樹脂 ざり

新 し 番魚 (配) 情域を提供す め 様 なより複雑な別則な

2002 532022

(23)

FAVORIT

E S

5 U I

画面 上帰御可声な状態で

ボタを

クライン 端 表のビデオ

に 何も見逃す ひな がび

である。慰酵者が休養を取る

AVORITES

1

Menu

動 ざると その時合わせて

F

お ディスクロピ まれ ** の

0063

コピ は **を** されるが 同時 表示 される 。 したがって テ

のよう衝作する。

)

[

0064

Options

De 1 a

y Program

Delay Program

 $M \mathrel{P} E \mathrel{G}$

Option

s Resume Program

circular buf

fer

を楽める可能性がある

に提案することができる。

2002 532022

プ ゴ アイルは 各場勝者

る ひが望まし °単 のお

a目を果たすことができるが

an先と気質 Dharma

e g

みを有する。

[] プロ アイルは 和気にみ

性グルプを形成する祭には

^L チ 切 ト 対 種型 ▲

の要因を考えに入れるこ

hird Rock From the Sun

[]

A

(24)

Α

前述)内容から 図示され

A Third Rock From t 散 & 使廃 できなかったかなり

Α

u n

0066

Seinfeld

円 俅 🏲 予田 'カンダ しだぎ

御パネルは を起動し

は僧の 慣例 たとえば制

2003 透着をなる など を使用

[]

む な つ

ノップ言语それ自体だけを含む。 で所望の修 山町 表示また

カルね まび またはビデオま

図示された実施形態では 個の分配 養成 たとえば電電

gestu 尚様 Rit 用する ことが できる tactile はな 特定応用例の必要 に

ど を使用する ひが できる

およ対種ネットワ

(25)

UΙ

0069

0070

nterface

0071

PLAY

UΙ

0072

HTML

0073


MetroCOM


糖形柳柳和なもの 聖育され °& 3 200分分子320日子修正的。10天0 (26) 図面の単葉なもり】 [図 0075 ⊏ よる使用可み な対 凝月 [図 図 *0*) テイ 5648824 [図 図 の 0076 [図 ビデオ [図 ユザ 0077 示切功 [図 1 2 3 4 5 6


NEWS

7

CELEBRITY CHAT








4


5

78



6

7



MADONNA:

DOUG B.:

MADONNA:

INTERVIEWER:

JOHN H.:

ASK QUESTION CHAT

	INTERNATIONAL SEARCH REPORT				
ARTEMOTION DE LA CONTRACTION D			ini ulional Application No		
			PCT/US 99/28277		
A. CLASS	FICATION OF SUBJECT MATTER H04N5/445				
THE A	46443\442				
Apososing to	o International Patent Classification (IPC) or to both national plans Fig.	aften and IPC			
8. FIELDB	SGARCHED		·		
Minimum de TPC 7	currentation searched (disselfication system followed by classificati HD4N	ion symbale)			
** * /	tio Tit				
no on wears.	ion searched other than minimum documentation to the extent that o	INCU ODENIONE AT I	icinoso m kia cerca asi	rcnaed .	
		· · · · · · · · · · · ·	<u> </u>		
E)actronic d	also been commuted during the International search (name of distribu	an and, where practic	ed, ecorch forms cored)		
				•	
ŀ					
C. DOCUM	ENTS CONSIDERED TO BE RELEYANT				
Catagory*	Citation of document, with indication, where appropriate, of the rel	erant passage t		Relevant to claim No.	
					
A	US 5 554 980 A (HASHIMOTO KOOSUK	E ET AL)		1.3	
	10 September 1996 (1996-09-10)		[. •	
	column 17, line 18 - line 35; fi	gure 12			
A	US 5 748 499 A (TRUEBLOOD JOHN)	,	1	1,3	
l^	5 May 1998 (1998-05-05)		ì	<u>^</u> ,•=	
	column 13, line 1 - line 26; fig	ure 6			
			٠.		
1		-> -			
ĺ					
[
			i i	.*	
			1		
	·				
<u> </u>					
[Furn	ner dopuments are listed in the positivebon of box C.	X Palest famil	ly members are listed in	ennex.	
* Special ca	legaries af cited datuments :	*I* later document p	ublished after the inters	मंजार किया वंजन	
'A' decrime	and defining the general state of the last which is not	or priority data a cited to underst	àng hịa buộc bịa cự theô rug họt (v coulge) Mặt độ	e application but	
'E' parier c	levent to be of particular relayance focurrent but published on or effective international	invention "K" document of part	isula: relevance; (he plai	med (avantion	
11 docume	ielle nil which may bhow doubbi on priority claim(e) or	sennot de consi	dered novel or cernol believe along	e cure idenside to	
which		"Y" document of part	louter rélevancé; the elei deced la involve en inve	cred invention	
	ent referring to an oral displosum, ese, exhibition or	glocument in cor	mbined with one or more scored pried nother dir	Cities also docu-	
'P' docume	era published poler to the international filing delegant	en the ert.	or of the saves patent far		
	usn'the priority data claimed sector of the international search		or or you seems passent re-	-	
DAG GIVE		_			
1	B April 2000	28	3.08.00		
Name and r	naiting address of the ISA	Authorized office		 {	
	European Parent Office, P.B. 6516 Paternisan 2	. = : : : : : : : : : : : : : : : : : :		·	
	NL - 2280 HV Ribrisk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl Fax. (+31-70) 340-3018	- YVONNE	π. σ		
I	Latt fan 1-vol men-anta	1	* * 5 ·		

Parts PCT/ISA/219 (second shart) (Jely 1992

INTERNATIONAL SEARCH REPORT

Inicinational application No. PCT/US 99/28277

Boxi	Observations where certain claims were found unsearchable (Continu	uation of Item 1 of first sheet)		
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:				
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, r	namaly:		
2 🗍	Claims Nos.; because they relate to parts of the informational Application that do not comply with it an extent that no invaningful international Search can be carried out, specifically:	he prescribed requirements to such		
3. 🗌	Claims Nos.: because they are dependent claims and are not drafted in accordance with the secondance.	and and third sentences of Flute 6.4(s).		
Box II	Observations where unity of invention is lacking (Continuation of item	n 2 of first sheet)		
This folia	ernational Searching Authority found multiple inventions in this international application	n, as follows:		
i. 🗀	As all required edditional search less were timely paid by the applicant, this internet searchable claims.	lorral Search Report covers all		
z. 🗌	As all seem to the claims could be searched without effort justifying an additional fee, of any additional fee.	this Authority old not invite payment		
3.	As only some of the required additional search fees were timely paid by the applican covers only those claims for which less were paid; specifically claims Nos.;	il, this international Search Report		
4. 🗓	No required additional search fees were timely paid by the applicant. Consequently, restricted to the trivention first mentioned in the charas; it is covered by claims Nos.: 1-3	this International Search Report la		
Remark	tion Protest The additional search fees were No protest accompanied the pa	s accompanied by the applicant's protest.		

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

FURTHER INFORMATION CONTINUED FROM PCT/ISAV 210

1. Claims: 1-3

CONTROL OF MENU APPEARANCE AND DISAPPEARANCE ON A SCREEN

2. Claims: 4-5

VIDEO ON DEMAND PROGRAMMING CONTROL WITH REMOTE CONTROL AND DN-SCREEN DISPLAY

3. Claims: 6-8

INTERRUPTING OF VIDEO PROGRAM TRANSMISSION ON A FIRST TRANSMISSION CHANNEL AND RESUMING OF SAID PROGRAM ON A SECOND TRANSMISSION CHANNEL

4. Claims: 9-12

ELECTRONIC PROGRAM GUIDE FOR VIDEO ON DEMAND CHANNEL

5. Claim : 13

METHOD FOR PRESENTING TO A VIEWER PROGRAMS FAVORED BY OTHER VIEWERS WITH SIMILAR PROFILES

6. Claims: 14-17

STORING OF STATE INFORMATION WHEN SWITCHING AWAY FROM A CHANNEL AND RESTORING SAID INFORMATION WHEN SWITCHING BACK TO SAID CHANNEL

7. Claims: 18-21

COPYING A FAVORITE VIDEO PROGRAM TO A STORE WHEN USER IS NOT VIEWING SAID PROGRAM

INTERNATIONAL SEARCH REPORT

int ritional Application No

	information on patent lamily members			PCT/I	PCT/US 99/28277		
Palent document cited in search repo	rt	Publication date		nember(s)	Publication date		
US 5554980	A	10-09-1996	JP	7284166 A	27-10-1995		
US 5748499	A	05-05-1998	US	5893053 A	06-04-1999		
				~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~			
					-		
					•		
	:			•			
	•						
			•				
				-			
•							
					•		
				·			

Form PCD/SA/210 (belon) tarsey secur) (July 1992)

(36)

FΙ

H 0 4 N

5/93

 $2\; 0\; 0\; 2 \quad 5\; 3\; 2\; 0\; 2\; 2$

(

(51) Int.Cl. H O 4 N 5/93 (72) 94043 1983 9 (72) 94107 801 (72) 94024 400 F 5C053 FA21 FA23 GB06 HA21 HA29 KA24 LA06 LA07 LA14 5C064 BA01 BA07 BB07 BC06 BC18 BC23 BD02 BD03 BD08 BD09 5E501 AB12 AC37 BA05 CA03 CB03 CCO2 EA01 EA10 FA03 FA05 FA13 FA14